

Europäisches Patentamt European Patent Office Office européen des brevets



11 Publication number:

0 524 448 A1

œ

EUROPEAN PATENT APPLICATION

- 3 Application number: 92110808.0
- 15/53, C12N 9/02

Date of filing: 26.06.92

The applicant has filed a statement in accordance with Rule 28 (4) EPC (issue of a sample only to an expert). Accession number(s) of the deposit(s):FERM BP 3839, 3840, 3841, 3847, 3848, 3452.

- Priority: 27,06,91 JP 157117/91
 29,11,91 JP 317064/91
 22,05,92 JP 131057/92
- ② Date of publication of application: 27.01.93 Bulletin 93/04
- Designated Contracting States:
 CH DE DK FR GB LI NL

- Applicant KIKKOMAN CORPORATION 339 Noda Noda-shi, Chiba-ken(JP)
- (2) Inventor: Naoki, Kajiyama, e/o Kikkoman Corporation 339 Noda Noda-shi, Chiba-ken(JP) Inventor: Elichi, Nakano, c/o Kikkoman Corporation 339 Noda Noda-shi, Chiba-ken(JP)
- Representative: Vossius & Partner Siebertstrasse 4 P.O. Box 86 07 67 W-8000 Milnchen 86(DE)
- Thermostable luciferase of a firefly, gene of a thermostable luciferase of a firefly, novel recombinant DNA, and process for the preparation of a thermostable luciferase of a firefly.
- The present invention relates to a thermostable luciferase of a firefly wherein an amino acid at the 217-position of the amino acid sequence of the wild-type firefly luciferase or an amino acid equivalent to the amino acid at the 217-position of the luciferase of GENJI firefly or HEIKE firefly is converted into a hydrophobic amino acid, a gene encoding said thermostable luciferase, a vector comprising the gene encoding said thermostable luciferase inserted therein, and a process for the preparation of a thermostable firefly luciferase comprising the use of said vector.

P 0 524 448 A

Rank Xerox (UX) Business Services

PIZ47600 PLT CTUAL PROPERTY ORGANIZATION PO-



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:			
C12N 15/53, 9/02, C12Q 1/68			

(11) International Publication Number:

WO 99/14336

(43) International Publication Date:

25 March 1999 (25.03.99)

(21) International Application Number:

PCT/US98/19494

(22) International Filing Date:

18 September 1998 (18.09.98)

(30) Priority Data:

60/059,379

US 19 September 1997 (19.09.97)

(71) Applicant (for all designated States except US): PROMEGA CORPORATION [US/US]; 2800 Woods Hollow Road, Madison, WI 53711-5399 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): WOOD, Keith, V. [US/US]: 902 Kottke Drive #5, Madison, WI 53719 (US). HALL, Mary, P. [US/US]; 6305 Dylyn Drive, Madison, WI 53719 (US).

(74) Agent: MARTIN, Alice, O.; Brinks Hofer Gilson & Lione, P.O. Box 10087, Chicago, IL 60610 (US).


(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TI, TM, TR, TI, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (OH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: THERMOSTABLE LUCIFERASES AND METHODS OF PRODUCTION

Stability at 37C normalized to t=0



(57) Abstract

Luciferase enzymes with greatly increased thermostability, e.g., at least half lives of 2 hours at 50 °C, cDNAs encoding the novel luciferases, and hosts transformed to express the luciferases, are disclosed. Methods of producing the luciferases include recursive mutagenesis. The luciforuses are used in conventional methods, some employing kits.

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 22 March 2001 (22.03.2001)

PCT

(10) International Publication Number WO 01/20002 A1

- (51) International Patent Classification7: C12N 15/53. 15/10. 9/02
- (21) International Application Number: PCT/US99/30925
- (22) International Filing Date:

22 December 1999 (22.12.1999)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

09/396,154

15 September (1999 (15.09,1999) US

- (71) Applicant: PROMEGA CORPORATION [US/US]; 2800 Woods Hollow Road, Madison, WI 53711 (US).
- (72) Inventors: WOOD, Keith, V.: 902 Kottke Drive, #5, Madison, WI 53719 (US). HALL, Mary, P.: 6305 Dylyn Drive, Madison, WI 53719 (US). GRUBER, Monika; 1312 Drake Street, Madison, WI 53715 (US).


- (74) Agent: VIKSNINS, Ann. S.: Schwegman, Lundberg, Woessner & Kluth, P.O. Box 2938, Minneapolis, Minnesota 55402 (US).
- (81) Designated States (national): AH, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, BB, BS, ER, BY, CA, CH, CM, CR, CU, CZ, DE, DK, DM, BB, BS, ER, GB, GB, GH, GM, HR, HU, ID, II, IN, IS, JP, KR, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PI, PT, RO, RU, SD, SI, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO potent (GIL, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Burusian potent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Burupean potent (AT, BE, CH, CY, DE, DK, ES, FL, FR, GB, GR, HE, TT, LU, MC, NL, PT, SE), OAPI potent (BE, BJ, CF, CG, CE, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: THERMOSTABLE LUCHERASIS FROM PHOTURIS PENNSYLVANICA AND PYROPHORUS PLAGIOPHTHA-LAMUS AND METHODS OF PRODUCTION



(57) Abstract: Luciferase enzymes with greatly increased thermostability, e.g., at least half lives of 2 hours at 50 °C, cDNAs encoding the novel luciferases, and hosts transformed to express the luciferases, are disclosed. Methods of producing the luciferases include recursive mutagenesis. The luciferases are used in conventional methods, some employing kits.

*PAGE 22/24 * RCVD AT 2/14/2005 2:46:58 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/10 * DNIS:8729306 * CSID:703 816 4100 * DURATION (mm-ss):09-08

1/20002 A1

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)			
(51) International Patent Classification 7: C12N 9/02, A01H 4/00	A2	(11) International Publication Number: WO 00/24878	
C12N 7702, MUIII 4000		(43) International Publication Date: 4 May 2000 (04.05.00)	
(21) International Application Number: PCT/GB99/03538		[GB/GB]; Institute of Biotechnology, University of Cambridge, Tennis Court Road, Cambridge CB2 4AT (GB).	
(22) International Filing Date: 26 October 1999 (25.10.99)		·	
(30) Priority Data: 9823468.5 28 October 1998 (28.10.98)) ((81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG,	
		BR. BY. CA CH CN CU CZ DE DK HE BS HT GR	

- (71) Applicant (for all designated States except US): THE SEC-RETARY OF STATE FOR DEFENCE [GB/GB]; Defence Evaluation and Research Agency, Ively Road, Famborough, Hampshire GU14 0XL (GB).
- (72) Inventors; and (75) Inventors/Applicants (for US only): SQUIRRELL, David,
 James [GB/GB]; CBD, Porton Down, Salisbury, Wiltshire SP4 OJQ (GB). MURPHY, Malenie, Jane [GB/GB]; CBD, Porton Down, Salisbury, Wiltshire SP4 OJQ (GB). PRICE, Rachel, Louise [GB/GB]; CBD, Porton Down, Salisbury, Wiltshire SP4 OJQ (GB). LOWE, Christopher, Robin [GB/GB]; Institute of Biotechnology, University of Cambridge, Tennis Court Road, Cambridge CB2 4AT (GB). WHITE, Peter, John [GB/GB]; The Babraham Institute, Babraham Hall, Village of Babraham, Cambridge CB2 4AT (GB). TISI, Laurence, Carlo [GB/GB]; Institute of Biotechnology, University of Cambridge, Tennis Court Road, Cambridge CB2 4AT (GB), MURRAY, James, Augustus, Henry
- BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, IP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Burasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TJ, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), BU, TM, Shurasian patent (AM, AZ, BY, KG, KZ, MX), Shurasian patent (AM, AZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, BS, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CL, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international tearch report and to be republished upon receipt of that report.

(54) Title: NOVEL ENZYME

(57) Abstract

1

A protein having luciferase activity and at least 60 % similarity to luciferase from Photinus pyralis, Luciola mingrelica, Luciola cruciata ot Luciola lateralis, Hotaria paroula, Pyrophorus plagiophtalamus, Lampyris noctiluca, Pyrocoella nayako ot Photinus pennsylanvanica wherein in the sequence of the enzyme, at least one of (a) the amino acid residue corresponding to residue 214 in *Photinus pyralis* luciferase; (b) the amino acid residue corresponding to residue 232 in *Photinus pyralis* luciferase; (c) the amino acid residue corresponding to residue 295 in Photinus pyralis luciferase; (d) the amino acid residue corresponding to acid 14 of Photinus pyralis luciferase; (e) the amino acid residue corresponding to amino acid 35 of Photinus pyralis luciferase; (f) the amino acid residue corresponding to amino acid residue 105 of Photinus pyralis luciferase; (g) the amino acid residue corresponding to amino acid residue 234 of Photinus pyralis luciferase; (h) the amino acid residue corresponding to amino acid residue corresponding to amino acid residue 310 of Photinus pyralis luciferase: is different to the amino acid which appears in the corresponding wild type sequence and wherein the luciferase enzyme has increased thermostability as compared to an enzyme having the amino acid of the corresponding wild-type luciforase at this position.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bunau

(43) International Publication Date 3 May 2001 (03.05.2001)

PCT

(10) International Publication Number WO 01/31028 A3

- (51) laternational Patent Classification?: C12N 15/53. 9/02, C12Q 1/66
- (21) International Application Number: PCT/GB00/04133
- (22) International Filing Date: 20 October 2000 (26.10.2000)
- (25) Filing Language:

÷

English

(26) Publication Language:

English

. .

- (39) Priority Data:
 - 9925161.3 0016744.5

26 October 1999 (26.10.1999) GB 10 July 2000 (10.07.2000) GB

- (71) Applicant (for all designated States except USs: THE SECRETARY OF STATE POR DEFENCE [GB/GB]; DSTL. Porton Down, Salisbury, Wiltshire SP4 0JQ (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SQUIRRELL, David, James [GB/GB]: DSTL. Porton Down, Salishury, Wiltshire SP4 UQ (GB). MURPHY, Melenia, Jame [GB/GB]: TSTL. Porton Down, Salishury, Wiltshire SP4 UQ (GB). PRICE, Rachet, Louise [GB/GB]: DSTL, Porton Down, Salishury, Wiltshire SP4 UQ (GB). WHITE, Peter, John [GB/GB]: DSTL, Porton Down, Salishury, Wiltshire SP4 UQ (GB). WILLEY, Tura, Louise [GB/GB]: The Babrahum Institute, Babraham Hall, Village of Babraham, Cambridge CB2 4AT (GB).

- (74) Agent: SKELTON, Stephen, Richard: D/IFR, Pormolities Section, Poplar 2, MOD Abbey Wood #19, Bristol BS34 8JH (GB).
- (81) Designated States Inationalis: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, RY, RZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NQ, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW,
- (84) Designated States (regional): ARIPO potent (GH. GM, KE. LS. MW. MZ. SD, SL. SZ, TZ. UG. ZW). European putent (AM. AZ. BY. KG. KZ. MD. RU. TJ. TM). European patent (AT. BE. CH. CY. DE. DK. ES. FI. FR. GB. GR. IE. FT. LU. MC. NL. PT. SR). OAPI patent (BF. BJ. CP. CG. CI. CM. GA. GN. GW. MI., MR. NE, SN, TD, TG).

Published:

- with international search report
- (88) Date of publication of the international search report: 2 May 2002

For two-letter codes and other obbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

H. WID

I THAY THE

A

(54) Title: MUTANT LUCIFERASE

(57) Abstract: A recombinant protein having luciferose activity and at least 60 % similarity to a wild-type luciferose wherein in the sequence of the enzyme, the amino acid residue corresponding to residue 357 in Photimus pyralle luciferose is manufed as compared to the corresponding wild-type luciferose, such that the luciferose enzyme is able to emit light at a different wavelength as compared to the corresponding wild-type luciferose and/or has enhanced thermoscobility as compared to the corresponding wild-type luciferose. In general, the residue corresponding to 357 in Photimus pyralls luciferose is changed from an acidic amino acid to a non-acidic amino acid and preferably an uncharged polar amino acid such as synosine. Mutant luciferoses in accordance with the invention can produce a large (50nm) wavelength shift in emitted light and have good thermoscobility. The resultant colour shift can be reversed by addition of coenzyme A. These properties make the mutant particularly useful in a variety of assays.